

No. A3 Dabeyao Changpocun, Chaoyang District,
Beijing, 100022, China
www.nltc.cn

Phone: +86-10 67708989
Fax: +86-10 67708989-1111



TEST REPORT

Report Ref. No.: 20150374E

**Product name: Upright Lighting Vision Protection LED
Desk Lamp**

Client name: Upright Lighting LLC (XI'AN Branch)

Note:

This test report or any reduplicate report is valid only when stamped with the testing seal authorized by National Lighting Test Centre. This test report is not valid unless signed by the testing engineer, the checking person and the approval person. Any alter of this test report by handwriting is not valid. Please submit query concerning the test result within 15 days after receipt of this test report, or this query will not be accepted. The test result presented in this test report relates only to the item(s) tested.



TEST REPORT

Report Reference No. : 20150374E

Tested by (name and signature)..... : Junping Nie *Junping Nie*

Checked by (name and signature) Yanjie Li *Yanjie Li*

Approved by (name and signature): Fang Wang *Fang Wang*

Date of issue..... : December 2, 2015

Contents : 3 pages.

Testing laboratory Name..... : National Lighting Test Centre

Address..... : No.A3 Changpocun Dabeyiao, Chaoyang District, Beijing, 100022
China

Client Name : Upright Lighting LLC (XI'AN Branch)

Test specification:
Standard : Refer to ENERGEY STAR Program Requirements Product
Specification for Lamps Version 1.0: Light Source Flicker
Recommended Practice August-2013

Test items : Frequency, Flicker index, Percent flicker

Date of receipt of sample: November 11, 2015

Quantity : 1 piece

Product name..... : Upright Lighting Vision Protection LED Desk Lamp

Trademark : UPL

Model and/or type reference..... : CA-CMD20X3-20MA(W) 7W

Rating(s) : /

Date code : /

manufacturer : Upright Lighting LLC (XI'AN Branch)

Conclusion:

See the test data.

Remark..... : /


Test case verdicts

Test case does not apply to the test object..... : N(A.)

Test item does meet the requirement..... : P(ass)

Test item does not meet the requirement..... : F(ail)


Photo of sample



Sample describe and explain			
Test lamp type	<input type="checkbox"/> Harmonize light <input checked="" type="checkbox"/> Non-harmonize light	Supply type	<input checked="" type="checkbox"/> AC <input type="checkbox"/> DC
Rated voltage	100-240V	Rated power	60×0.06W/颗 LED
Rated rate	50/60Hz	Rated current	0.08A
Install way	<input type="checkbox"/> Fixed <input type="checkbox"/> Recessed <input checked="" type="checkbox"/> Portable <input type="checkbox"/> Other		
Light type	<input type="checkbox"/> Self-ballast lamp <input type="checkbox"/> Tubular lamp <input type="checkbox"/> Tungsten lamp <input checked="" type="checkbox"/> LED <input type="checkbox"/> Other gas discharge lamp <input type="checkbox"/> Other		
Other explain	/		

T E S T R E S U L T

Test oscillogram:



Remarks: Environment condition: Temperature: 24℃, Relative humidity: 30%, Test condition: 220V AC, 50Hz.

Below blank